
1.

1.1			
1.1.1			
1	1936—1977		
2	1978—1998		
3	1999—2003		
4	2004—2012		

5


2013

1.1.2

7

4

2



1.2

1.3

1.3.1

1.3.2

2.



功能菜单


实验目的

基础知识

基础知识 Basics



1. 固定：尸体取背卧位，一般先切断肩胛骨内侧和髋关节周围的肌肉（仅以部分皮肤与躯干相连），将四肢向外侧摊开。









请将物体拖到答案区

提交





2.2.3 3D







1.

2.

3.



2.2.6

位置: 首页 > 数字切片系统 > 数字切片管理

数字切片加载 数字切片管理

综合查询




狗


所属课程


-请选择-

查询

网络数字切片列表

图片缩图	切片名称	浏览条件	切片描述	浏览数字切片	删除	编辑
	血涂片 狗	安装浏览器插件	切片描述	浏览数字切片	删除	修改图片
	空肠 狗	安装浏览器插件	切片描述	浏览数字切片	删除	修改图片
		安装浏览器插件	切片描述	浏览数字切片	删除	修改图片





2.3 ()

2.4

2.4.2

2.4.3

2.6

2.6.1

2.6.2

2.6.3

--


3.

3.4

95

15

6




4.

4.1

4.1.1

4.2



5.

5.1

5.1.1

-A

5.1.2

5.2

5.2.1

5.3

6.
